
LIGHTING

TECHNICAL DATA SHEET

ART'COUSTIK RANGE



Lumigno

Suspended acoustic light

arteck

OCTOBER 2026 • *VERSION 01*

Description

Suspended light with a compact rPET acoustic covering, combining decorative lighting with an absorbing volume. Its lightweight form adds rhythm to the ceiling and defines a functional area without creating a partition. Offices, reception areas, restaurants and commercial interiors.


KEY DATA

12mm	B-S2,D0	Recycled and recyclable PET 100%
THICKNESS	FIRE CLASSIFICATION	COMPOSITION

DIMENSIONS & TECHNICAL DRAWINGS

Diameter	210 mm
Heights	300 mm, 370 mm or 450 mm

FRONT VIEW



Material information

Composition	Thermally bonded rPET polyester fibre, through-dyed *100% recyclable · 60 to 80% recycled PET depending on colour*
Thickness	12 mm
Density	200 kg / m^3
Weight	2.4 kg / m^2 - *Product weight: see price list*
Colors	32 - *Ivory-coloured body*
Fire classification	NF EN 13501-1 - Euroclass B-s2,d0, all colours (M1 equivalent) Download the report →
Light reflectance	pvnh: 2-73% depending on colour (CSTB DBV-G-25-00060228) Download the report →
UV resistance	UV resistant Download the report →
Number of recycled bottles per m^2	96 plastic bottles (rPET)
Guarantee	10 years
Packaging and Conditioning	Cardboard packaging and plastic bubble protection, CFC-free and recyclable
Maintain	In case of a stain, dab with a clean, damp cloth as soon as possible. To disinfect and eliminate viruses, spray a diluted bleach solution (2%)

Certifications

In context







Installation

DESCRIPTION

Suspend the light using the specified braided cable, adjust the height, then connect the supplied bulb to a compliant electrical supply.

SUBSTRATE TYPE

Load-bearing ceiling / slab or supporting structure suitable for suspension fixings, with a compliant electrical supply.

FIXINGS REQUIRED

Braided cable and bulb supplied; ceiling fixing/anchor not supplied.

Contact us

SALES DEPARTMENT

Quotes within 48 working hours, manufacturing lead times, order tracking, custom-made and sample requests.

contact@arteck-design.fr
+33 4 72 08 58 70

Arteck Design
ZAC des Folliouses - Rue des Monts d'Or
01700 Miribel, France